



YDPU2.E157822 - TUBING, EXTRUDED INSULATING - COMPONENT

Tubing, Extruded Insulating - Component

See General Information for Tubing, Extruded Insulating - Component

UNICHEM CO LTD
 287-2 SINWOL-LI
 SUNGKEO-EUP
 CHUNAN-SI, CHOONGNAM 330-835 REPUBLIC OF KOREA

E157822

Cat. No.	Max V rms	Max Oper Temp, ° C	Color Recognized	Oil-resistance Class[a]	VW-1 Rated[b]
Heat shrinkable flexible Polyolefin tubing					
KUHS-105	600	105	CL	-	No
KUHS-225	600	125	All except clear	-	Yes
KUHS-225G or Wire Marker	600	125	All except clear	-	Yes
Unitube KUHS-205	600	105	All except clear	-	Yes (ID size in 1 mm for all color except clear; black color for all sizes)
Not heat shrinkable Polyvinyl Chloride (PVC) tubing					
UNIVP-300	300	105	All including clear	-	Yes
UNIVP-600	600	105	All including clear	-	Yes

[a] - Tubing is considered to comply with the optional Oil Resistance requirements only if authorized in the above table and marked "Oil Resistant" (or "Oil Res"), followed by the class (01, 02 or 03).

[b] - Tubing is considered to comply with the optional VW-1 flammability requirements only if authorized in the above table and marked as such.

Marking: Company name or tradename "E157822", "UNICHEM", catalog designation, inside diameter (before and after recovery for heat shrinkable tubing), voltage rating, temperature rating in degrees celsius and date of manufacture (or traceable code) printed on tags attached to both ends of the tubing or printed on the shipping spool label or smallest unit container in which the product is packaged.

[Learn More](#)

Last Updated on 2019-03-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners..

[Learn More](#)

[> Cookie Settings](#)

Accept